


TABLE PACKAGE CONTENTS



IMPORTANT: Do not fully tighten bolts/screws until all pieces are loosely assembled.




Part	Description	Quantity
A	Table top	1
B	Table leg	4

1 Attach the table legs to the table top


- Attach the table legs (B) to the table top (A) using M6 bolts (FF) and washers (CC).

NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pieces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.



2 Turn the table up


- Turn the table right side up.



LOVESEAT PACKAGE CONTENTS



IMPORTANT: Do not fully tighten bolts/screws until all pieces are loosely assembled.




Part	Description	Quantity
A	Right arm	1
B	Left arm	1
C	Loveseat seat	1
D	Loveseat back	1
E	Seat cushion	2
F	Back cushion	2

1 Attach the loveseat seat to the right arm

- Attach the loveseat seat (C) to the right arm (A) using M6 bolts (BB) and washers (CC).


NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pieces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.



2 Attach the loveseat back to the right arm


- Attach the loveseat back (D) to the right arm (A) using M6 bolts (AA) and washers (CC).

NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pieces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.




3 Attach the left arm and back to the loveseat seat

- Attach the left arm (B) and loveseat back (D) to the loveseat seat (C) using M6 bolts (BB) and washers (CC).



4 Attach the left arm to the loveseat back


- Attach the left arm (B) to the loveseat back (D) using M6 bolts (AA) and washers (CC).



CHAIR PACKAGE CONTENTS



IMPORTANT: Do not fully tighten bolts/screws until all pieces are loosely assembled.




Part	Description	Quantity
A	Right arm	1
B	Left arm	1
C	Chair seat	1
D	Chair back	1
E	Seat cushion	1
F	Back cushion	1

1 Attach the chair seat to the right arm

- Attach the chair seat (C) to the right arm (A) using M6 bolts (BB) and washers (CC).


NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pieces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.



2 Attach the chair back to the right arm


- Attach the chair back (D) to the right arm (A) using M6 bolts (AA) and washers (CC).

NOTE: Please ensure all the bolts are assembled correctly and use the allen driver (EE) to tighten. Do not fully tighten bolts/screws until all pieces are loosely assembled. Add corresponding plastic caps (DD) after final assembly finished.



3 Attach the left arm to the chair seat

- Attach the left arm (B) to the chair seat (C) using M6 bolts (BB) and washers (CC).



4 Attach the left arm to the chair back

- Attach the left arm (B) to the chair back (D) using M6 bolts (AA) and washers (CC).

